

## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <a href="http://about.jstor.org/participate-jstor/individuals/early-journal-content">http://about.jstor.org/participate-jstor/individuals/early-journal-content</a>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

# American Fern Journal

#### A QUARTERLY DEVOTED TO FERNS

Published by the

## AMERICAN FERN SOCIETY

**EDITORS** 

R. C. BENEDICT

E. J. WINSLOW

C. A. WEATHERBY

**VOLUME XI** 

1 9 2 1

AUBURNDALE, MASS.

#### INDEX TO VOLUME 11

Adiantum, 102; Capillus-Veneris, 10, 117; pedatum, 9, 83, 120, 123

Agrimonia parviflora, 114

Alcicornium, 98, 102

Alsophila, 102

American Fern Society, 31, 55, 91, 122

American Ferns, Notes on, XVI, 1; XVII, 33; XVIII, 105

Anapausia, 102

Anderson, M. L., Lygodium japonicum in South Carolina, 90; Obituary notice, 124

Andrews, E. F., Habits and habitats of the North American resurrection fern (review), 30

Angiopteris, 102; evecta, 100

Arisaema pusillum, 119

Asplenium, 102; angustifolium, 87; Bradleyi, 21, 88; ebeneum, 120; ebenoides, 21, 121; Filix-Foemina, 10; montanum, 21; Palmeri, 105, 106; parvulum, 88; platyneuron, 14, 83; pinnatifidum, 21, 88; pycnocarpon, 10; resiliens, 105; Ruta-muraria, 22, 121; thelypteroides, 10, 120; Trichomanes, 83, 120; see also Athyrium

Athyrium acrostichoides, 10, 83; angustifolium, 10, 121; angustum, 10, 83; var. confertum, 83; var. rubellum, 83; asplenioides, 10, 18; Filix-Foemina, 18, 120; see also Asplenium.

Azolla, 100, 102; caroliniana, 52.

Baltimore, Md., and vicinity, Ferns of, 19

Bancroft, Mrs. E. H., Obituary notice, 31

Batrachium trichophyllum, 119

Benedict, R. C., Boston Fern Show, The, 97; Is Botrychium dissectum a sterile mutant of B. obliquum? 53; Nephrolepis nutrition, 41; Report of the Editors for 1920, 62

Blechnum, 102

Boston Fern Show, The, 97; list of species exhibited, 102

Botrychium dissectum, 53, 54, 55, 85, 114, 115, 116; neglectum, 20, 25; obliquum, 53, 54, 85, 114, 115, 116; var. oneidense, 20, 24, 85; ramosum, 25; simplex, 20, 24, 25; ternatum, 85; var. intermedium, 85; var. rutaefolium, 85; virginianum, 20, 85

Brake, common, 9

British Fern Gazette, Vol. IV, No. 6 (review), 89

Britton, E. G., Plant Sanctuaries, 108

Brooklyn Botanic Garden, 98, 100 Brown, E. D. W., Apogamy in Osmunda cinnamomea and O. Claytoniana, (review), 89; The value of nutrient solutions as culture media for fern prothallia (review), 30

Burrage, A. C., 98

BUTTERS, F. K., A new Western species of Pellaea, 39; Pellaea glabella and its Western segregates, 75; Salvinia in Minnesota, 48

Burnham, S. H., Report of the Secretary for 1920, 59

Callipteris, 102

Camptosorus rhizophyllus, 87, 120, 123

Campyloneuron, 102

Ceanothus, 114

Ceratopteris pteridoides, 101, 102 Ceropteris, 102

Cheilanthes californica, 117; Covillei, 117

Christensen, Carl, An overlooked species of Dryopteris, 44: Dryopteris species et varietates novae (review), 89; new species of Hymenophyllaceae from Madagascar (review), 28; monograph of the genus Dryopteris, part II (review), 28; the pteridophytes of the Juan Fernandez Islands (review), 31

Cibotium, 99, 102
Coniogramme, 102
Corallorhiza maculata, 119; odontorhiza, 119; Wisteriana, 119
Coral-root, Wister's, 119
Curly grass, 109
Cypripedium acaule, 119; pubescens, 119
Cyrtomium, 102; Rochfordianum, 54
Cystopteris bulbifera, 120; fragilis,

Davallia, 102; Mooreana, 100 Dennstaedtia, 103; punctilobula, 8, 24, 84; var. nana, 25; see also Dicksonia, Dicksonia, 103; pilosiuscula, 120; see also Dennstaedtia Didymochlaena, 103

Doodia, 103 Doryopteris, 103

Diplazium, 103

Drosera rotundifolia, 119

84. 120; see also Filix

Dryopteris, 103; An overlooked species of, 44; arguta, 3, 4; Boottii, 14, 22, 84; Clintoniana, 22, 84; Clintoniana × intermedia, 84; x spinulosa, 84; cristata, 13, 84, 106; var. Clintoniana 13; cristata × marginalis,  $\times$  spinulosa, 84; crypta, 44, 45; Dryopteris, 25; Filix-mas, 3, 4, 12, 107; Goldiana, 12, 14, 22; var. celsa, 12, 14; guadalupensis, 45; var. setulosa, 45; hexagonoptera, 12; intermedia, 84; intermedia × spinulosa, 84; Linnaeana, 12; marginalis, 12, 84; marginalis × spinulosa, 84; noveboracensis, 11, 18, 84; Phegopteris, 12, 22; rupicola, 89; rigida, 3: rigida arguta, 3: sancta, 89; spinulosa, 13, 22, 83, 84; var. americana, 14, 84; var. dilatata, 14, 22; var. intermedia, 13, 22; simulata, 11, 18, 22; Thelypteris, 11, 18, 83; see also Nephrodium, Phegopteris and Thelypteris.

Eccleston, Douglas, 99
Elaphoglossum, 103
Equisetum north of Mexico, North
American species of, 65

Equisetum, 103, 117; affine, 71; arvense, 23, 71, 74; boreale, 74; Drummondii, 73; Ferrissi, 71; fluviatile, 69, 70, 73; Funstoni, 68, 70, 72; heleocharis, 73; hyemale, 66, 68, 69, 71; hyemale californicum, 71; hyemale intermedium, 65, 71; kansanum, 65, 68, 70, 72; laevigatum, 65, 66, 67, 68, 69, 71, 72; limosum, 73; majus, 74; maximum, 74; mexicanum, 72; palustre, 69, 70, 73, 107; praealtum, 67, 68, 69, 71; pratense, 69, 70, 73; robustum, 66, 71; saxicola, 74; scirpoides, 68, 70, 72, 101; sylvaticum, 23, 69, 70, 73; telmateia, 69, 71, 74; trachyodon, 72; triquetrum, 73; uliginosum, 73; unbrosum, 73; variegatum, 33, 68, 70, 72; var. alaskanum, 34

Fern, beech, 11; beech, broad, 12; beech, long, 11; Boott's, 14; Boston, 99, 100; Boston, varieties of, 100, 103; Braun's holly, 10; chain, broad-leaved, 9; narrow-leaved, 8; Christmas, 10; cinnamon, 7, 108, 111; climbing, 109, 111; Clinton's, 13; clover, 101; creeping, 112; crested, 13; floating, 101; Goldie's, 12, 121; Hartford, 109; hay-scented, 8; horn, 101; interrupted, 7; lace, 109; lady, 10; lady, highland, 11; lady, lowland, 11; maidenhair, 9; male, 12; marginalfruited, 12; marsh, 11; Massachusetts, 11: New York, 11: oak, 12; ostrich, 8, 109; resurrection, 30; royal, 7, 111; sensitive, 8; spinulose, 13; staghorn, 98; tree, 98; Venus-hair, 10; walking, 121; wonder, 122

Fern literature, Recent, 27, 88; locality, Another rich, 120; Show, Boston, 97; list of species exhibited at, 102; Society, More about early days of the, 16

Ferns exhibited in Boston, List of, 102; found in New Hampshire, 82; Notes on American, XVI, 1; XVII, 33; XVIII, 105; of Baltimore, Md., and vicinity, 19; of woods and swamps, Soil reaction of, 5; seen in California, 116 Filix bulbifera, 23; fragilis, 116;

see also Cystopteris.

Forbes, C. N., Obituary notice, 91

Graves, E. W., An interesting trip, 86

Gymnogramme, 103

Habenaria clavellata, 119; flava, 119; psycodes, 119

Hartford, Conn., Climbing fern in the vicinity of, 109

Helianthemum, 114

Hippochaete Nelsoni, 72

Holcombe, C. H., obituary notice, 63

Humata, 103

Hymenodium, 103

Isoetes, 101, 103

Latin names, What they mean, II, 25

Lechea, 114; villosa, 114

Leptopteris, 103

Lewis, C. S. & W. F., A list of ferns found in New Hampshire, 82

Liparis liliifolia, 119; Loeselii, 119

Lorinseria areolata, 21; see also Woodwardia

Lycopodium adpressum, 24; annotinum, 2; carolinianum, 23; clavatum, 23; dendroideum, 1; lucidulum, 122; obscurum, 1, 34; passerinoides, 36; sitchense, 2; struthioloides, 35, 36; taxifolium, 35, 36; tristachyum, 24

Lygodium, 103, 111, 112, 113; japonicum, 90, 91; in South Carolina, 90; palmatum, 7, 21, 109

MANDA, W. A., 98

Marshall, M. A., The wonder fern, 122

Marsilea, 103; Drummondii, 101; quadrifolia, 90, 101

Massachusetts Horticultural Society, Fern Show, 98

Maxon, W. R., New selaginellas from the western United States (review), 88; Notes on American ferns, XVI, 1; XVII, 33; XVIII, 105; President's report for 1920, 55

Melanthium latifolium, 119; virginicum, 119

Meniscium, 103

Microlepia, 103

Moxley, G. L., Some ferns seen in California, 116

Mumbauer, J. R., Ophioglossum vulgatum in Bucks and Montgomery Cos., Pa., 117

Nephrodium Boottii, 120; cristatum, 120; cristatum × marginale, 120; Goldianum, 120; marginale, 120; noveboracense, 120; simulatum, 120; spinulosum, 120; Thelypteris, 120; see also Dryopteris

Nephrolepis, cultivated forms of, 103, 104; nutrition of, 41

Nephrolepis, 100, 103; bostoniensis Gretnai, 41; cordifolia, 48; Duffli, 48

Notes on American Ferns, XVI, 1; XVII, 33: XVIII, 105

Obituary notices, Anderson, Mary L., 124; Bancroft, Mrs. E. H., 31; Forbes, C. N., 91; Holcombe, C. H., 63; Terry, Mrs. E. H., 93

Onoclea sensibilis, 8, 21, 85, 120; var. obtusilobata, 85; Struthiopteris, 85; see also Pteretis and Struthiopteris

Onychium, 104

Ophioglossum vulgatum, 20, 85, 117, 118, 119; in Bucks and Montgomery Cos., Pa., 117

Orchis spectabilis, 119
Osmunda cinnamomea, 7, 18, 85, 89, 120, 123; cinnamomea glandulosa, 21, 24; cinnamomea var. incisa, 85; Claytoniana, 7, 85, 89, 120; regalis, 20, 85, 120; var. spectabilis, 7

OSTERLUND, P., Another rich fern locality, 120

Pellaea, a new western species of,

Pellaea, 104; andromedaefolia, 117;

atropurpurea, 39, 88, 121; atropurpurea occidentalis, 40; Breweri, 80; glabella, 39, 40, 75, 76, 77, 78, 80, 81; and its western segregates, 75; var. simplex, 40; longimucronata, 3; mucronata, 117; occidentalis, 40; pumila, 40, 75, 76, 77, 78, 79, 80, 81; Suksdorflana, 40, 75, 76, 77, 78, 79, 80, 81

Pessopteris, 104

Phegopteris Dryopteris, 83, 120; hexagonoptera, 83; polypodioides, 83, 120; see also Dryopteris Phlox divaricata, 87; paniculata, 87

Pierson, F. R., 100 Plant sanctuaries, 108 Platycerium, 98, 104 Poa, 114 Pogonia ophioglossoides, 119 Polybotrya, 104 Polypodium from Vermont, A new, 46, 122;

Polypodium, 104; californicum, 117; cryptum, 44; Mandianum, 55; Mayi, 54; polypodioides, 21, 29; subauriculatum, 98; var. Knightae, 98; vulgare, 46, 83, 120; f. brachypteron, 122; f. rotundatum, 48, 123; var. deceptum, 83; var. sinuatum, 83

Polystichum, 104; acrostichoides, 10, 83, 106, 120; var. incisum, 83; alaskense, 106; Andersoni, 106; Braunii, 10, 83; munitum, 116; var. inciso-serratun, 116 Potentilla canadensis, 114

PROCTOR, THOS., 100

Psilotum, 101, 104

Pshotum, 101, 104

Pteretis nodulosa, 3, 8, 23; see also Onoclea and Struthiopteris

Pteridium aquilinum pubescens, 117; latiusculum, 9; see also Pteris

Pteris, 104; aquilina, 9, 83, 120, 123; see also Pteridium

Reviews: Andrews, E. F., Habits and habitats of the North American resurrection fern, 30; British Fern Gazette, Vol. 4, No. 6, 89; Brown, E. D. W., Apogamy in Osmunda cinnamomea and O. Claytoniana, 89; culture media for fern prothallia, 30. Chamberlain, C. J., Grouping and mutation in Botrychium, 53; Christensen. Carl, Dryopteris species et varietates novae, 89; monograph of the genus Dryopteris, part II, 28; New species of Hymenophyllaceae from Madagascar. Christensen and Skottsberg, The pteridophytes of Juan Fernandez Islands, Coburn, L. H., Marsilea quadrifolia in Maine, 90. Maxon, W. R., New Selaginellas from the western United States, 88

RIDLON, H. C. A new Polypodium from Vemont, 46, 122 ROEHRS, JULIUS, 100

Sabatia angularis, 11

Salvinia in Minnesota, 48

Salvinia 101, 104; auriculata, 49, 50, 53; var. Olfersiana, 49, 50, 51; natans, 48, 49, 50, 51; records of in the United States, 50

Sanctuaries, plant, 108

Sarracenia Catesbaei, 86

Schizaea pusilla, 7

Schaffner, J. H., North American species of Equisetum, north of Mexico, 65

Scleria pauciflora, 119

Selaginella, 89, 101, 105; arenicola, 1; arizonica, 89; asprella, 89, 107; Bigelovii, 117; Bourgeauii, 38; caesia, 99; columbiana, 37; densa, 38, 39; Engelmanni, 38; eremophila, 89; floridana, 1; Haydeni, 38; humifusa, 1; leucobryoides, 89; mexicana, 89; montanensis, 38, 39; neomexicana, 35; oregana, 35, 36; Riddellii, 34; rupestris, 24, 35, 38, 89; rupestris columbiana, 38; scopulorum, 36, 38; Standleyi, 89; struthioloides, 35, 36; uncinata, 99; Wallacei, 39

Selliguea, 105

SKOTTSBERG, CARL, The pteridophytes of the Juan Fernandez Islands (review), 31

Soil reactions of ferns of woods and swamps, 5

Spiranthes cernua, 114, 119; gracilis, 119; vernalis, 119 Spleenwort, ebony, 14, 121; narrow-leaved, 10; silvery, 10, 121 Stenochlaena, 105 Struthiopteris germanica, 120; see also Onoclea and Pteretis Syntherisma, 114

Tectaria, 105
Terry, Mrs. E. H., obituary notice, 93

Thelypteris arguta, 117; see also Dryopteris

Topping, D. L., Letter to the curator, 122

Trichomanes Boschianum, 86; Petersii, 86Trillium erectum, 87; stylosum, 86

Underwood, J. G. Report of the treasurer for 1920, 60

Viola, 114

Vittaria, 105

Waters, C. E., Ferns of Baltimore, Md., and vicinity, 19; More about early days of the Fern Society, 16

WEATHERBY, C. A., Climbing fern in the vicinity of Hartford, Conn., 109; a correction, 122; records of Salvinia natans in the United States, 50; report of the editors for 1920, 62

Wherry, E. T., Soil reactions of ferns of woods and swamps, 5

Winslow, E. J., Athyrium angustifolium at Westmore, Vt., 121; report of the editors for 1920, 62

Woodsia ilvensis, 19; obtusa, 19, 120; scopulina, 33

Woodwardia, 105; angustifolia, 8; areolata, 8; Chamissoi, 117; virginica, 9; see also Lorinseria Wollrath & Sons, 100

### ERRATA

Page 49, footnote, line 2. For 4robably, read probably. Line 3. For p65, read 465.

Page 89, line 1. For mexicana, read neomexicana.

Page 89, line 18. For and varieties, read et varietates.

Page 95, line 9. For president, read present.

## CONTENTS

Volume 11, Number 1, Pages 1-32, Issued March 3, 192	1
Notes on American Ferns—XVI. W. R. Maxon Soil Reactions of Ferns of Woods and Swamps E. T. Wherry More about early Days of the Fern Society C. E. Waters Ferns of Baltimore and Vicinity C. E. Waters What the Latin Names mean—II Recent Fern Literature American Fern Society	$   \begin{array}{r}     1 \\     5 \\     16 \\     19 \\     25 \\     27 \\     31 \\   \end{array} $
VOLUME 11, NUMBER 2, PAGES 33-64, ISSUED OCT. 12, 192	1
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	50
Volume 11, Number 3, Pages 65-96, Issued Feb. 3, 1922	;
$\begin{array}{llllllllllllllllllllllllllllllllllll$	- 86 - 88
Volume 11, Number 4, Pages 97-129, Issued March 31, 19	22
The Boston Fern Show	97 105 108 109
C. C. Deam, L. S. Hopkins Shorter Notes—Some Ferns seen in California—Ophioglossum vulgatum in Bucks and Montgomery Counties, Pennsylvania—Another rich Fern Locality—The narrow leaved Spleenwort at Willoughby, Vt.—The Wonder Fern —A correction	116
American Fern Society	$\frac{122}{125}$